Product Service

EU-Type Examination Certificate

No. P5A 072949 0013 Rev. 00

Holder of Certificate: **PAT NBK Co., Ltd.**
No. 103 Renmei Rd,
Dali Dist
41282 Taichung City
TAIWAN

Product: **PPE against fall from a height**
Retractable Type Fall Arrester EN 360

Model(s): **HARU HB-10 in different lengths**

Tested according to: DIN EN 360:2002

The Certification Body of TÜV SÜD Product Service GmbH confirms that the listed product fulfils the basic requirements with Annex V (Module B) of Regulation (EU) 2016/425 on personal protective equipment according to Article 19 (PPE of category III). This certificate refers only to the submitted sample for testing and certification and on its technical documentation. See also notes overleaf. The validity of this certificate based on an ongoing surveillance in accordance with Module C2 or D of Regulation (EU) 2016/425 by a Notified Body.

Test report no.: 713143713-2

Valid until: 2024-07-17

Date, 2019-07-24 (Volker Kron)

TÜV SÜD Product Service GmbH is Notified Body according to Regulation (EU) 2016/425 on personal protective equipment with the identification number 0123.

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ СЕРТИФИКАТ ◆ CERTIFICADO ◆ CERTIFICAT
TÜV SÜD
A4 / 07.17

TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD
ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ СЕРТИФИКАТ ◆ CERTIFICADO ◆ CERTIFICAT

Product Service

EU-Type Examination Certificate

No. P5A 072949 0013 Rev. 00

Parameters:

Function principle:	self-retracting steel cable on drum with centrifugal brake;
Dimensions:	l x w x d: 575mm x 185mm x 100mm; plastic cover;
Fixation:	oval steel plate (l x b: 30mm x 16mm; in the upper area of the riveted inner frame plates)
Cable length:	5m, 6m, 7m, 8m, 9m, 10m
Cable:	⌀ 4mm galvanized steel cable 7x19; inner end: 1 aluminium alloy ferrule for end loop; outer end: Nylon damping ball; 1 steel thimble with 2 aluminium alloy ferrules and directional connector with swivel
Rope drum:	⌀ 100mm x 36mm; aluminium;
Centrifugal brake:	4 spring activated steel clamps in steel brake ring; use in steel gear disc
Rewind system:	stainless steel rewind spring (15mm wide; 0,6mm thick; 14,5m long)
Swivel connector:	Type S-2146; steel directional connector with swivel EN 362-A/T
Fixation connector:	Type S-507; steel connector EN 362-B
Marking:	Manufacturer, manufacturing address, EU importer, EU-importer address, model, length, wire diameter, CE-marking, EN 360:2002; "read instructions"-pictogram, serial no., max. working load; warning pictograms, production date: MM/YYYY
Weight:	5314 grams (10m version)

TÜV SÜD Product Service GmbH is Notified Body according to Regulation (EU) 2016/425 on personal protective equipment with the identification number 0123.

TÜV SÜD TÜV SÜD TÜV SÜD