



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/1505/162/06/11/0284

To the following model of personal protective equipment :

* protective glove against mechanical risks.

* reference of the model : GVF+i

* responsible for placing on the market :

Abade Glove

B-18, New Century Business Tower, Eco. & Tech. Dev. Zone, Wenzhou
China

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on June 07th, 2011

Issued by Lionel GAUDILLERE



4, rue Hermann Frenkel
69367 Lyon Cedex 07 - France

NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

Tel +33(0)4 72 76 10 10 - Fax +33(0)4 72 72 76 10 00
www.ctcgroupe.com

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference : GVF+I

Basic Model

Dated : JUNE 2011

Cotton interlock liner with PVC full coating

Available sizes :

7/S 8/M

Visual description :



Material :

	Colour	Material	Gauges	Thikness
PALM	Red	PVC		
	White	cotton	40g	
BACK	Red	PVC		
	White	cotton	40g	
LINING				
CUFF	White	Poly-cotton	32g	
BINDING				

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * Directive 2002/61/CE : - This product fulfills the requirements given by the Directive.

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420	SH60424R-11		SH60424R-11
Azo	SH60424R-11		
EN 388	SH60424R-11		

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	1	2	1


The levels of performance have been measured on the palm

3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * **CE** marking
- * reference of the model: GVF+I
- * size
- * pictogram for mechanical risks followed by the performance levels
- * information pictogram

Marking example:



Abade Glove

MANUFACTURER'S TECHNICAL FILE

Reference of the product	:	GVF+I
Technical file index	:	01
Last update	:	JUNE 2011

IDENTIFICATION

Reference of the product : GVF+I
Technical file index : 01
Last update : JUNE 2011

CE Type Examination Applicant :

Abade Glove
B-18, New Century Business Tower, Eco. & Tech. Dev. Zone, Wenzhou
China
tel : +86-577-88266798
fax : +86-577-88269920

Manufacturer :

Abade Glove
B-18, New Century Business Tower, Eco. & Tech. Dev. Zone, Wenzhou
China
tel: +86-577-88266798
fax: +86-577-88269920

GLOVE DESCRIPTION

Glove description :

Cotton interlock liner with PVC full coating

Visual description:



Available sizes :

Minimum length of glove (mm)	Sizes
230	7/S
240	8/M

Glove constitution :

	Reference	Colour	Material	Surfacic mass	Gauges	Thikness
PALM		Red	PVC	700g/m2		
		White	cotton	150g/m2	40g	
BACK		Red	PVC	700g/m2		
		White	cotton	150g/m2	40g	
LINING						
CUFF		White	Poly-cotton	150g/m2	32g	
BINDING						

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity : 5
PH of glove and lining is greater than 3.5 and lower than 9.5 : yes
Chromium VI lower than the detection limit : conform
Size : conform

Directive 2002/61/CE :

This product fulfills the requirements given by the Directive 2002/61/CE (Azo dyes).

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2003

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	1
Tear strength resistance	2
Puncture resistance	1

TEST REPORTS

Laboratory	CTC Asia	CTC France	Other
EN 420	SH60424R-11		SH60424R-11
Azo	SH60424R-11		
EN 388	SH60424R-11		

MARKING - PACKAGING

Information printed on the glove :

Logo of the authorized representative :

Logo 

Glove's reference : GVF+I

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Marking example :

Abade

Art: GVF+I



Method of marking on the glove :

Overprint on the back of glove

Packaging :

12 pairs in one polybag, 120 pairs in one carton

MEANS OF CONTROL

1. Buy raw materials only from reliable suppliers. When the raw materials come into the warehouse, randomly select part of them and check the quality. Accept them upon quality pass.
2. When coating, quality controllers check the quality from beginning to the end. They try to find out the quality problems and solve them in time.
3. After coating, quality controllers carefully check EVERY glove one by one.
4. When packing (put one pair of glove and one sheet of user instruction into a polybag), the worker is required to check the quality. Pack it upon quality pass.
5. Before finally packing (put the gloves into the carton), one quantity controller counts the quantity.
6. Finally check before the gloves are sent to the warehouse.

Abade Glove

B-18, New Century Business Tower, Eco. & Tech. Dev. Zone, Wenzhou

Glove reference : GVF+I

Available sizes : 7/S 8/M

Glove description :

Cotton interlock liner with PVC full coating

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the Directive 89/686/CEE : innocuousness, comfort, solidity.

It has been subject to a CE type Examination performed by :

C.T.C. (0075)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE

Applicable standards :

The glove meets the requirements of the standard EN 420 « General requirements for work glove ». Dexterity : 5

Moreover, this glove has been designed for the following applications :



Application :

Mechanical hazard - EN 388



4121

Levels of performance

Abrasion resistance	4
Blade cut resistance	1
Tear resistance	2
Puncture resistance	1

Protection limit :

The protection against risks or hazards which are not mentioned in this document is not warranted. The levels of performance mentioned are only valid for the palm of the glove. The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated. These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire.

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.